




Pads for:

- 2-post lifts
- 2-ram lifts with arms
- 1-ram lifts



STENHØJ

Lifting the level

High Performance

Autolifts

Stenhøj Lifting pads

Stenhøj lifting pads For 2-post, 1-ram & 2-ram lifts

ONLY FOR 3 & 3.2 TON

777112:
Adjustable flex-pad
Ø 120,
30 mm – 60 mm

776891:
Fixed flex-pad
Ø 120, 100 mm

776892:
Fixed flex-pad
Ø 120, 190 mm

776893:
Fixed flex-pad
Ø 120, 260 mm
incl. safety belts
***ONLY for F-
model!**

777081:
Extension bush for
Flex-pads
(extends by 25 mm)

777069:
Crosspad Ø120 / 85
H 40 (4 pcs.).
***Also for S-
model!**

777187:
Pads for Nissan GTR
(4 pcs.)

ONLY FOR 3.5 TON

777395:
Adjustable flex-pad
Ø120,
25 mm – 55 mm



FOR 3; 3.2; 3.5; 5 & 6.5 T

A11027:
Adjustable
flex-pad
Ø 120, 35 mm
- 70 mm

A11028:
Adjustable
flex-pad
Ø 120, 90 mm
- 145 mm

A11029:
Adjustable
flex-pad
Ø 120, 145 mm
- 255 mm
*** ONLY for F-
model!**

A11030:
Adjustable
flex-pad
Ø 120, 205 mm
- 375 mm
*** ONLY for F-
model!**

A11006:
Adjustable
U-pad
U 100, 50 mm
- 75 mm

A11007:
Adjustable
U-pad
U 100, 75 mm
- 140 mm

A11009:
Adjustable
U-pad
U 100, 140 mm
- 245 mm
***ONLY for F-
model!**

A11021:
Adjustable
U-pad
U 100, 190 mm
- 360 mm
***ONLY for F-
model!**

Stenhøj Lifting pads

Stenhøj lifting pads For 2-post, 1-ram & 2-ram lifts

ONLY FOR 5 TON

770505:
Adjustable flex-pad
Ø 120,
30 mm – 60 mm

770502:
Fixed flex-pad
Ø 120, 100 mm

770503:
Fixed flex-pad
Ø 120, 190 mm

770504:
Fixed flex-pad
Ø 120, 260 mm
Incl. safety belts

**AS1011 +
A4000307:**
Pad for Mercedes
SLR/Maybach



FOR 3; 3,2; 3,5; 5 & 6,5 T

A 11043:
Adjustable pad
"VW Crafter
/Sprinter
170 mm-280 mm
***ONLY for F-
model!**

A 11040:
Adjustable pad
"VW Crafter
/Sprinter"
205 mm-370 mm
***ONLY for F-
model!**

A11014:
Adjustable
flex-pad
"Rover"
U 100, 120 mm
– 170 mm

A 11013:
Adjustable
flex-pad
"Rover" U 100,
175 mm-285 mm
***ONLY for F-
model!**

676524:
Fixed flex-pad
U 100, 100 mm

676525:
Fixed flex-pad
U 100, 190 mm

777195:
Fixed flex-pad
U 100, 260 mm
(incl. safety
belts)
***ONLY for F-
model!**

777148:
Pad height
increases
20 mm
(4 pcs.)
***Also for S-
model!**



STENHØJ
lifting the level

Stenhøj A/S

Tel: +45 76 82 13 30

Fax: +45 76 82 13 31

Mail: info@stenhoj.dk

Web: www.stenhoj.dk

High Performance

Autolifts